



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

1/2

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/892,816	06/27/2001	Richard A. McGrew	042390.P11006	3501
8791	7590	11/02/2005	EXAMINER	
BLAKELY SOKOLOFF TAYLOR & ZAFMAN 12400 WILSHIRE BOULEVARD SEVENTH FLOOR LOS ANGELES, CA 90025-1030			LI, ZHUO H	
			ART UNIT	PAPER NUMBER
			2185	

DATE MAILED: 11/02/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	09/892,816 Zhuo H. Li	MCGREW ET AL. Art Unit 2185	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 15 August 2005.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1-26 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.

- 4) Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) Notice of Informal Patent Application (PTO-152)
- 6) Other: _____.

DETAILED ACTION

Response to Amendment

1. This Office action is in response to the amendment filed 8/15/2005.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1-2, 4-5, 10-12, 14-15, 17-19 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Parker (US PAT. 6,535,949) in view of Garney (US PAT. 5,412,798).

Regarding claim 1, Parker disclose a method comprising receiving a request to download data into a flash memory (24, figure 1), halting the downloading of the data into the flash

memory until the flash memory is initialized, wherein the initialization includes storing pointers in a second memory (22, figure 1) to indicating different locations within the flash memory where the data is to be stored within the flash memory and storing the data into the flash memory based on the pointer stored in the second memory (figure 7, col. 5 line 36 through col. 6 line 57 and col. 11 line 44 through col. 12 line 60). Parker differs from the claimed invention in not specifically teaching the initialization including reclaiming space in the flash memory to accommodate the request. However, Garney teaches to reclaiming memory space to accommodate a request in order to avoid in having to periodically reset the computer system (abstract, col. 5 line 59 through col. 6 line 24, col. 8 line 37 through col. 9 line 2 and col. 12 lines 34-49). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Parker in having the initialization including reclaiming space in the flash memory to accommodate the request, as per teaching of Garney, in order to avoid in having to periodically reset the computer system.

Regarding claim 2, Parker discloses the initialization of the flash memory including the steps of generating headers for the different locations within the flash memory where the data is to be stored and storing the headers at the different locations within the flash memory (col. 10 line 25 through col. 11 line 6).

Regarding claim 4, Parker teaches the initialization of the flash memory comprising reclaiming space within the flash memory that is reclaimable for storage of data into the flash memory (col. 11 line 56 through col. 12 line 50).

Regarding claim 5, Parker discloses a method comprising the steps of receiving a request to store data into a flash memory (24, figure 1) of a device (10, figure 1), wherein the request

including size of the data, initializing the flash memory of the device prior to receiving the data in response to receiving the request, wherein the initialization comprises storing pointers in a separate memory (22, figure 1), to indicate a number of different locations within the flash memory where the free space is located, determining whether the size of free space within the flash memory is greater than the size of the data and reclaiming space within the flash memory upon determining that the size of the free space within the flash memory is not greater than the size of the data (figure 7, col. 5 line 36 through col. 6 line 57 and col. 11 line 44 through col. 12 line 60). Note Parker also teaches the device capable of receiving data via a RF transceiver (col. 5 lines 49-53 and col. 6 lines 46-57) so that one skill in the art would recognize the device capable of receiving a request from an external device to store data into the flash memory via the RF transceiver. Parker differs from the claimed invention in not specifically teaching the initialization including reclaiming space in the flash memory to accommodate the request. However, Garney teaches to reclaiming memory space to accommodate a request in order to avoid in having to periodically reset the computer system (abstract, col. 5 line 59 through col. 6 line 24, col. 8 line 37 through col. 9 line 2 and col. 12 lines 34-49). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Parker in having the initialization including reclaiming space in the flash memory to accommodate the request, as per teaching of Garney, in order to avoid in having to periodically reset the computer system.

Regarding claim 10, Parker teaches an apparatus (10, figure 1) comprising a flash memory (24, figure 1) partitioned into blocks (51A-51N, figure 3), a random access memory (22, figure 1) coupled to the flash memory, a write unit (12, figure 1) coupled to the flash memory

Art Unit: 2185

and the random access memory, wherein the write unit is to receive a request to download data into the flash memory and wherein the write unit is to download the data into the flash memory and a plurality of applications stored in a non-volatile storage medium of the apparatus, i.e., an initialize unit, coupled to the flash memory, the random access memory and the write unit to initialize the flash memory in response to receive the request download data by storing pointers in the random access memory to indicate the number of the blocks within the flash memory that are free to store data prior to download data into the flash memory (col. 5 line 36 through col. 10 line 5 and col. 11 line 44 through col. 12 line 60). Parker differs from the claimed invention in not specifically teaching the initialize unit to reclaim space in the flash memory to accommodate the request. However, Garney teaches to reclaiming memory space to accommodate a request in order to avoid in having to periodically reset the computer system (abstract, col. 5 line 59 through col. 6 line 24, col. 8 line 37 through col. 9 line 2 and col. 12 lines 34-49). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Parker in having the initialize unit to reclaim space in the flash memory to accommodate the request, as per teaching of Garney, in order to avoid in having to periodically reset the computer system.

Regarding claim 11, Parker teaches to store headers at the number of different blocks within the flash memory prior to download the data into the flash memory (col. 10 lines 50-58).

Regarding claim 12, Parker teaches to reclaim space within the flash memory prior to download the data into the flash memory, that is reclaimable for storage of the data into the flash memory upon determining that the size of free space within the flash memory is less than the

size of the data to be downloaded into the flash memory (figure 7 and col. 11 line 50 through col. 12 line 6).

Regarding claim 14, Parker discloses a system comprising a cellular telephone (10, figure 1) wirelessly coupled to a network, wherein the cellular telephone comprising a flash memory (24, figure 1) partitioned into blocks (51A-51N, figure 3); a random access memory (22, figure 1) coupled to the flash memory, a processor (12, figure 1) coupled to the flash memory and the random access memory, the processor to execute a number of instructions, which when executed by the processor causes the processor to receive a request to download data into the flash memory, halt the downloading of the data into the flash memory until the flash memory is initialized, wherein the initialization includes storing pointers in the random access memory to indicate the number of the blocks within the flash memory where the data is to be stored and store the data into the flash memory based on the pointers stored in the random access memory (col. 5 line 36 through col. 10 line 5 and col. col. 11 line 44 through col. 12 line 60). Note while Parker teaches the cellular telephone capable of receiving data via a RF transceiver over the network (col. 5 lines 49-53 and col. 6 lines 46-57) so that one skill in the art would recognize the cellular telephone capable of receiving a request from a server coupled to the network to store data into the flash memory. Parker differs from the claimed invention in not specifically teaching the initialization including reclaiming space in the flash memory to accommodate the request. However, Garney teaches to reclaiming memory space to accommodate a request in order to avoid in having to periodically reset the computer system (abstract, col. 5 line 59 through col. 6 line 24, col. 8 line 37 through col. 9 line 2 and col. 12 lines 34-49). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify

Parker in having the initialization including reclaiming space in the flash memory to accommodate the request, as per teaching of Garney, in order to avoid in having to periodically reset the computer system.

Regarding claim 15, the limitations of the claim are rejected as the same reasons set forth in claim 2.

Regarding claim 17, the limitations of the claim are rejected as the same reasons set forth in claim 4.

Regarding claim 18, the limitations of the claim are rejected as the same reasons set forth in claim 1.

Regarding claim 19, the limitations of the claim are rejected as the same reasons set forth in claim 2.

Regarding claim 21, the limitations of the claim are rejected as the same reasons set forth in claim 1.

4. Claims 3, 6-8, 13, 16, 20 and 22-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Parker (US PAT. 6,535,949) in view of Garney (US PAT. 5,412,798) as applied to claims above, and further in view of Lloyd-Jones (EP 0489204).

Regarding claim 3, the combination of Parker and Garney differs from the claimed invention in not specifically teaching the step of storing the data received from the download into a number of buffers prior to storing the data into the flash memory. However, it is old and notoriously well known in the art of a data storage device to store received data into buffers prior to store the data into a flash memory in order to reduce the data storage device vulnerability

Art Unit: 2185

during performing storing operation, for example see Lloyd-Jones (abstract). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the combination of Parker and Garney in having the step of storing the data received from the download into a number of buffers prior to storing the data into the flash memory, as per teaching of Lloyd-Jones, in order to reduce the data storage device vulnerability during performing storing operation.

Regarding claim 6, Parker discloses the initialization of the flash memory including the steps of generating headers for the different locations within the flash memory where the data is to be stored and storing the headers at the different locations within the flash memory (col. 10 line 25 through col. 11 line 6). The combination of Parker and Garney differs from the claimed invention in not specifically teaching the steps of transmitting a signal to the external device to transmit the data after initialization of the flash memory is complete, receiving the data into a number of buffers within the device and storing the data within the number of the buffers into the number of different locations within the flash memory where the free space is located. However, Lloyd-Jones teaches a data storage device capable of transmitting a signal to an external device, i.e., a host, after the initialization of a first memory is completed (col. 11 lines 16-25), receiving the data into a number of buffers (15, figure 1) within the device and storing the data within the number of buffers into the number of different locations within a flash memory (18, figure 1) where the free space is located (abstract and col. 11 line 26 through col. 12 line 6). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the combination of Parker and Garney in having the steps of transmitting a signal to the external device to transmit the data after initialization of the flash memory is

complete, receiving the data into a number of buffers within the device and storing the data within the number of the buffers into the number of different locations within the flash memory where the free space is located, as per teaching of Lloyd-Jones, in order to reduce the data storage device vulnerability during performing storing operation.

Regarding claim 7, Parker teaches the device being a cellular telephone and the data being transmitted to the cellular telephone through a wireless transmission link (col. 5 lines 54-63). Note Parker also teaches the device capable of receiving data via a RF transceiver (col. 5 lines 49-53 and col. 6 lines 46-57) so that one skilled in the art would recognize the external device being a server coupled to a wireless network in communicate with the device.

Regarding claim 8, Lloyd-Jones teaches to disable interrupts within the device when portions of the data are being written into the number of different location in the flash memory (figure 28 and col. 11 lines 22-25).

Regarding claim 13, the limitations of the claim are rejected as the same reasons set forth in claim 3.

Regarding claim 16, the limitations of the claim are rejected as the same reasons set forth in claim 3.

Regarding claim 20, the limitations of the claim are rejected as the same reasons set forth in claim 3.

Regarding claim 22, Parker discloses a machine readable medium that provides instruction, which when executed by a machine, cause the machine to perform operation comprising the steps of receiving a request to store data into a flash memory (24, figure 1) of a device (10, figure 1), wherein the request including size of the data, initializing the flash memory

of the device prior to receiving the data in response to, receiving the request, wherein the initialization comprises determining whether the size of free space within the flash memory is greater than the size of the data, reclaiming space within the flash memory upon determining that the size of the free space within the flash memory is not greater than the size of the data, generating headers for the different locations within the flash memory where the data is to be stored, storing the headers at the different locations within the flash memory, storing pointers in a separate memory (22, figure 1), to indicate a number of different locations within the flash memory where the free space is located (figure 7, col. 5 line 36 through col. 6 line 57, col. 10 line 25 through col. 11 line 6 and col. 11 line 44 through col. 12 line 60). Note Parker also teaches the device capable of receiving data via a RF transceiver (col. 5 lines 49-53 and col. 6 lines 46-57) so that one skill in the art would recognize the device capable of receiving a request from an external device to store data into the flash memory via the RF transceiver. Parker differs from the claimed invention in not specifically teaching the initialize unit to reclaim space in the flash memory to accommodate the request. However, Garney teaches to reclaiming memory space to accommodate a request in order to avoid in having to periodically reset the computer system (abstract, col. 5 line 59 through col. 6 line 24, col. 8 line 37 through col. 9 line 2 and col. 12 lines 34-49). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Parker in having the initialize unit to reclaim space in the flash memory to accommodate the request, as per teaching of Garney, in order to avoid in having to periodically reset the computer system. Furthermore, neither Parker nor Garney specifically teaching the steps of transmitting a signal to the external device to transmit the data after initialization of the flash memory is complete, receiving the data into a number of buffers

within the device and storing the data within the number of the buffers into the number of different locations within the flash memory where the free space is located. However, Lloyd-Jones teaches a data storage device capable of transmitting a signal to an external device, i.e., a host, after the initialization of a first memory is completed (col. 11 lines 16-25), receiving the data into a number of buffers (15, figure 1) within the device and storing the data within the number of buffers into the number of different locations within a flash memory (18, figure 1) where the free space is located (abstract and col. 11 line 26 through col. 12 line 6). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the combination of Parker and Garney in having the steps of transmitting a signal to the external device to transmit the data after initialization of the flash memory is complete, receiving the data into a number of buffers within the device and storing the data within the number of the buffers into the number of different locations within the flash memory where the free space is located, as per teaching of Lloyd-Jones, in order to reduce the data storage device vulnerability during performing storing operation.

Regarding claim 23, Parker teaches the second memory being a random access memory (22, figure 1).

Regarding claim 24, the limitations of the claim are rejected as the same reasons set forth in claim 7.

Regarding claim 25, the limitations of the claim are rejected as the same reasons set forth in claim 8.

5. Claims 9 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Parker (US PAT. 6,535,949) in view of Garney (US PAT. 5,412,798) and Lloyd-Jones (EP 0489204) as applied to claims above, and further in view of Watanabe et al. (US PAT. 5,590,306 hereinafter Watanabe).

Regarding claim 9, the combination of Parker, Garney and Lloyd-Jones differs from the claimed invention in not specifically teaching to determine whether interrupts are pending in the device periodically during the time the data is being written into the number of different locations in the flash memory and periodically halting the writing of the data into the number of different locations in the flash memory and servicing the interrupts that are pending in the device upon determining that interrupts are pending. However, Watanabe teaches a memory management system comprising a main control for determining whether interrupts, i.e., busy signals, are pending periodically during the time the data is being written into the number of different locations of in the flash memory and periodically halting the writing of the data into the number of different locations in the flash memory and servicing the interrupts that are pending in the device upon determining that interrupts are pending in order to enhance the operation (col. 14 lines 1 1-32). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the combination of Parker, Garney and Lloyd-Jones in having the steps to determine whether interrupts are pending in the device periodically during the time the data is being written into the number of different locations in the flash memory and periodically halting the writing of the data into the number of different locations in the flash memory and servicing the interrupts that are pending in the device upon determining that interrupts are pending, as per teaching of Watanabe, in order to enhance the operation.

Regarding claim 26, the limitations of the claim are rejected as the same reasons set forth in claim 9.

Response to Arguments

6. Applicant's arguments with respect to claims 1-26 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Zhuo H. Li whose telephone number is (571) 272-4183. The examiner can normally be reached on Tue-Fri 8:30 AM-6:00 PM, and alternate Monday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Kim can be reached on (571) 272-4182. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Zhuo H. Li
Patent Examiner
Art Unit 2185


BEHZAD JAMES PEIKARI
PRIMARY EXAMINER